

# Product range for Nordic Wood LINEAR S

SCREW MOUNTING




SLAT SIZES



PANEL DIMENSIONS



VISIBLE EDGE TYPE



WOOD QUALITY

PREMIUM

ECO



\* Spruce only eco

WOOD SPECIES



FINISHING

VARNISH

STAIN

WAX COLOR

OIL

NATURAL

ACOUSTIK FLEECE

WHITE


GREY

BLACK



- Acoustic properties
- High puncture and tear resistance
- Moisture resistance and non-fraying
- Fire resistance- classified B-s1,d0

SOUND ABSORPTION VALUES



\* Acoustic absorption as per ISO 354 standard, various data calculated according to ISO. Nordic Wood Linear + addition MW 20 mm.  
\*\* Depending on the type of wood

REACTION TO FIRE \*\*


ACCORDING TO  
EN 13501-1  
B-s<sub>1</sub>,d<sub>0</sub>

## PRODUCT RANGE

- 1. LINEAR S 28/14**  
600  
28  
18 24,9 15
- 2. LINEAR S 28/18**  
600  
28  
18 15,3 15
- 3. LINEAR S 40/8**  
600  
40  
20 55 15
- 4. LINEAR S 40/10**  
600  
40  
20 40 15
- 5. LINEAR S 40/11**  
600  
40  
20 34,5 15
- 6. LINEAR S 40/13**  
600  
40  
20 26,2 15
- 7. LINEAR S 68/5**  
600  
68  
20 100 15
- 8. LINEAR S 68/6**  
600  
68  
20 80 15
- 9. LINEAR S 68/7**  
600  
68  
20 65,7 15
- 10. LINEAR S 28/10**  
600  
28  
28 32 15
- 11. LINEAR S 45/5**  
600  
45  
45 75 15
- 12. SPECIAL ON REQUEST**

# Product range for Nordic Wood LINEAR T

## MOUNTING T-PROFILE



SLAT SIZES



18x28



20x40



20x68



28x28



45x45



Special size  
on request

PANEL  
DIMENSIONS

600x600


600x1200

600x1800


Special  
size

VISIBLE  
EDGE TYPE

EDGE E



EDGE C



WOOD QUALITY

PREMIUM



ECO



\* Spruce only eco

WOOD SPECIES

BIRCH



SPRUCE



PINE



LARCH



OAK



THERMO



NEW

FINISHING

VARNISH

STAIN

WAX  
COLOR

OIL

NATURAL

ACOUSTIK FLEECE

WHITE



GREY




BLACK



- Acoustic properties
- High puncture and tear resistance
- Moisture resistance and non-fraying
- Fire resistance- classified B-s1,d0

SOUND ABSORPTION VALUES




\* Acoustic absorption as per ISO 354 standard, various data calculated according to ISO. Nordic Wood Linear + addition MW 20 mm.  
\*\* Depending on the type of wood

REACTION TO FIRE \*\*


ACCORDING TO  
EN 13501-1  
B-s<sub>1</sub>,d<sub>0</sub>

## PRODUCT RANGE


### 1. LINEAR T 28/14




### 2. LINEAR T 28/18




### 3. LINEAR T 40/8




### 4. LINEAR T 40/10




### 5. LINEAR T 40/11




### 6. LINEAR T 40/13




### 7. LINEAR T 68/5




### 8. LINEAR T 68/6




### 9. LINEAR T 68/7



### 10. LINEAR TSQ 28/10



### 11. LINEAR T 45/5



### 12. SPECIAL ON REQUEST

# Product range for Nordic Wood PANEL

T-PROFILE, SCREW MOUNTING



PANEL  
DIMENSIONS



20x40



20x90



Special size  
on request

PANEL  
DIMENSIONS

600x600

600x1200

600x1800



Special  
size

VISIBLE  
EDGE TYPE

EDGE E

EDGE C

EDGE B



WOOD QUALITY

PREMIUM

ECO



\* Spruce only eco

WOOD SPECIES

BIRCH

SPRUCE

PINE

LARCH

OAK

THERMO



NEW

FINISHING

VARNISH

STAIN

WAX  
COLOR

OIL

NATURAL

ACOUSTIC FLEECE

WHITE


GREY

BLACK



- Acoustic properties
- High puncture and tear resistance
- Moisture resistance and non-fraying
- Fire resistance- classified B-s1,d0

SOUND ABSORPTION VALUES



\* Acoustic absorption as per ISO 354 standard, various data calculated according to ISO. Nordic Wood Linear + addition MW 20 mm.  
\*\* Depending on the type of wood

REACTION TO FIRE \*\*


ACCORDING TO

EN 13501-1  
B-s<sub>1</sub>,d<sub>0</sub>

## PRODUCT RANGE


1.

PANEL 20/7




2.

PANEL 20/9




3.

PANEL 90/5



4.

PANEL 90/6



5.


SPECIAL ON REQUEST

# Product range for Nordic Wood LINEAR WAVES

T-PROFILE, SCREW MOUNTING




SLAT SIZES



PANEL DIMENSIONS



VISIBLE EDGE TYPE



WOOD QUALITY



\* Spruce only eco

WOOD SPECIES



FINISHING




ACOUSTIC FLEECE



- Acoustic properties
- High puncture and tear resistance
- Moisture resistance and non-fraying
- Fire resistance- classified B-s1,d0

SOUND ABSORPTION VALUES




\* Acoustic absorption as per ISO 354 standard, various data calculated according to ISO. Nordic Wood Linear + addition MW 20 mm.  
\*\* Depending on the type of wood

## PRODUCT RANGE

1.

### LINEAR SPECIAL 17/X



2.




### SPECIAL ON REQUEST






# Product range for Nordic Wood LINEAR SPORT

BALL IMPACT RESISTANCE CLASS 1A



|                         |                                                                                                                                  |                                                                                     |                                                                                     |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| SLAT SIZES              |                                                 |    |    |                                |                                                                                                                                                                                                               |                                                                                             |
|                         | 20x20                                                                                                                            | 28x28                                                                               | 43x43<br>only ECO                                                                   | Special size<br>on request                                                                                      |                                                                                                                                                                                                               |                                                                                             |
| PANEL DIMENSIONS        |                                                 |    |    |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
|                         | 600x1200                                                                                                                         | 600x1800                                                                            | Special size                                                                        |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
| VISIBLE<br>EDGE TYPE    |                                                |                                                                                     |                                                                                     | WOOD QUALITY                                                                                                    |                                                                                                                                                                                                               |                                                                                             |
|                         | EDGE B<br>3-4 mm                                                                                                                 |                                                                                     |                                                                                     |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     | PREMIUM<br>                   |                                                                                                                                                                                                               |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     | ECO<br><br>* Spruce only eco |                                                                                                                                                                                                               |                                                                                             |
| WOOD SPECIES            | BIRCH                                                                                                                            | SPRUCE                                                                              | PINE                                                                                | LARCH                                                                                                           | OAK                                                                                                                                                                                                           | THERMO                                                                                      |
|                         |                                               |  |  |                              |                                                                                                                            | <br>NEW |
| FINISHING               |                                               |                                                                                     |  |                                                                                                                 |                                                                                                                            |                                                                                             |
|                         | VARNISH                                                                                                                          |                                                                                     | STAIN                                                                               |                                                                                                                 | WAX COLOR                                                                                                                                                                                                     |                                                                                             |
| ACOUSTIK FLEECE         |                                               |                                                                                     |  |                                                                                                                 |                                                                                                                            |                                                                                             |
|                         | WHITE                                                                                                                            |                                                                                     | GREY                                                                                |                                                                                                                 | BLACK                                                                                                                                                                                                         |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     |                                                                                                                 | <ul style="list-style-type: none"><li>• Acoustic properties</li><li>• High puncture and tear resistance</li><li>• Moisture resistance and non-fraying</li><li>• Fire resistance- classified B-s1,d0</li></ul> |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
| SOUND ABSORPTION VALUES |                                               |                                                                                     |                                                                                     | ACCORDING TO<br>EN 13501-1<br>B-s1,d0                                                                           |                                                                                                                                                                                                               |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     | REACTION TO FIRE **                                                                                             |                                                                                                                                                                                                               |                                                                                             |
|                         |                                                                                                                                  |                                                                                     |                                                                                     | ** Depending on the type of wood                                                                                |                                                                                                                                                                                                               |                                                                                             |
|                         | * Acoustic absorption as per ISO 354 standard, various data calculated according to ISO. Nordic Wood Linear + addition MW 20 mm. |                                                                                     |                                                                                     |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |
| BALL IMPACT             | TESTED IN ACCORDANCE WITH EN 13964:2014-08, DIN 18032-3 CLASS 1A                                                                 |                                                                                     |                                                                                     |                                                                                                                 |                                                                                                                                                                                                               |                                                                                             |

## PRODUCT RANGE

- 1. LINEAR SPORT 20/20**  

- 2. LINEAR SPORT 28/10**  

- 3. LINEAR SPORT 43/7**  

- 4. SPECIAL ON REQUEST**